

Downsize your operating cost - increase your profit with...



HYCON PPB06

HYCON PPB09

HYCON PPB13

**- the choice of
professionals...**



Make ^{more} money with HYCON PowerKit

The professional choice for low
cost demolition and unique
mobility...



SOLID FRAMES - WITHSTAND DROP TEST



UNIQUE COOLING - NO CLOGGED DIRT



HIGH PERFORMANCE IN ALL MATERIALS



EASY LIFT - EASY TRANSPORT



HYCON PPB06



HYCON PPB06

HH15 is an ultra low weight breaker with an impressive performance. The performance to weight ratio is unbeatable.

With only 15 kg it is a light, compact and very handy breaker!

Main users are municipalities and utility, who all prefer low weight with good performance. HH15 is the real alternative to electric breakers and will match electric breakers up to 30 kg in performance - but with only half the weight. Also in rental it is very popular due to low investment and high payback!

The HPP06 powerpack is the perfect power source, but the HH15 works with any 20 l.p.m powerpack. It is fitted with our anti vibration T-handle at no extra cost.

HYCON PPB06 Kit gives you low-cost demolition, more operation hours and increases your profit!

Technical Data	HH15
Weight, kg	15.3
Oil flow, l.p.m	20
Working pressure, bar	100
Max. pressure, bar	160
Blow frequency, 1/min.	1830
Noise level 1 m L_{PA} dB	93
Noise level L_{WA} dB	105
Vibration level (3 axis), m/s^2	6.6
Tool size, mm hex	22x82

Technical Data	HPP06
Oil flow, l.p.m.	1x18
Max. pressure, bar	110
Engine	Honda 6.5 HP petrol
POR/adjustable	Adjustable
Starter	Recoil
Weight, kg	54
Noise level 1 m L_{PA} dB	88
Noise level L_{WA} dB	100

HYCON PPB09



HYCON PPB09

HYCON HH20 is a compact all-round breaker. Despite low weight it handles even the toughest jobs. It is designed for breaking concrete, asphalt, frozen ground, brick wall etc.

It comes standard with the HYCON PROLINE vibration-reduced handle, which brings high operator comfort.

HH20 is available in 2 low vibration level versions - 6.8 m/s^2 and 4.8 m/s^2 (RV) - the operator may use the HH20RV up to 8 hrs. daily (EC Directive).

HH20 is preferred by contractors, armed forces, railroads, etc. - and is perfect for rental.

Std. tool size is hex 25x108 mm (HH20) and 32x160 mm (HH20RV). The breaker can be connected to the HPP-series and the HPP09 powerpack is the perfect power source. HYCON PPB09 Kit gives you low-cost demolition, more operation hours and increases your profit!

Technical Data	HH20/HH20RV
Weight, kg	22/23.9
Oil flow, l.p.m.	20/20
Working pressure, bar	110/110
Max. pressure, bar	160/160
Blow frequency, 1/min.	1560/1560
Noise level 1 m L_{PA} dB	94/94
Noise level L_{WA} dB	106/106
Vibration level (3 axis), m/s^2	6.8/4.8
Tool size, mm hex	25x108/32x160

Technical Data	HPP09
Oil flow, l.p.m.	1x20
Max. pressure, bar	150
Engine	Honda 9 HP petrol
POR/adjustable	POR
Starter	Recoil
Weight, kg	68
Noise level 1 m L_{PA} dB	88
Noise level L_{WA} dB	100

HYCON PPB13



HYCON PPB13

HYCON HH25 is compact and has very high performance in relation to its weight.

It is designed for tough jobs of breaking strong concrete, asphalt, frozen ground, ramming jobs, etc.

HH25 comes standard with the HYCON PROLINE vibration-reduced handle.

It is available both as 20 and 30 l.p.m. versions. It is especially used by contractors, armed forces, asphalt companies, supply companies, rental business etc.

Std. tool size is hex 32x160 mm.

The breaker can be connected to the HPP-series and the HPP13 FLEX powerpack is the perfect power source

HYCON PPB13 Kit gives you low-cost demolition, more operation hours and increases your profit!

Technical Data	HH25 20/30 l.p.m.
Weight, kg	25.3/25.8
Oil flow, l.p.m.	20/30
Working pressure, bar	120/120
Max. pressure, bar	160/160
Blow frequency, 1/min.	1380/1380
Noise level 1 m L_{PA} dB	96/96
Noise level L_{WA} dB	108/108
Vibration level (3 axis), m/s^2	9.4/9.4
Tool size, mm hex	32x160/32x160

Technical Data	HPP13 FLEX
Oil flow, l.p.m.	1x20-30
Max. pressure, bar	150
Engine	Honda 13 HP petrol
POR/adjustable	Adjustable
Starter	Recoil
Weight, kg	81
Noise level 1 m L_{PA} dB	89
Noise level L_{WA} dB	101



Central Tool Hire Ltd

Unit 27, North Orbital Commercial Park, Napsbury Lane, St Albans, Herts AL1 1XB
Telephone: 01727 846999, Fax 01727 846161, Email: info@central-tool-hire.co.uk

RE: HYCON PPB09 POWER PACK & BREAKER

Central Tool Hire Ltd is a well established Plant and Tool Hire company based in St Albans, Hertfordshire, covering London and the Home Counties.

Nigel Heavens, Director, says:

"Since 2005 we have had several Hycon kits as part of our hire fleet and have been extremely happy with the durability of the kits. The machines have proved to be reliable and have had very little down time. In fact I would go so far as to say, that so long as there is petrol in them, they will work!"

With the minimal service required the machines have certainly paid for themselves over and over again. We have not had any need for re-gassing, nor have we had any bent chassis on the equipment. Unfortunately this has been a frequent occurrence in the past when customers drag the equipment off their vehicles and drop them to the ground. I am happy to say that the Hycon kits have certainly stood the test of time when faced with this type of treatment!

The kit operates very simply, just connect the hoses and turn the ever lasting lever on - and off you go! The anti-vibration handles have given us no problems and continue to provide protection for the operator throughout operation. We have had good feedback from our customers and they particularly like the instant start and Newton power of the guns very much.

All in all I would not hesitate to recommend the Hycon kit to any one wishing to use a sound piece of equipment and hoping to keep cost at a minimum...!"

Ian Gransden, Workshop Fitter, comments:

"If we could educate the users to keep the couplers clean and grit free when changing applications, we would probably never get any break downs at all. A great machine to work on...!"

Lee Mathers, Foreman, says:

"Service when needed - some petrol - Happy Days...!"

"All in all I would not hesitate to recommend the Hycon kits to any one wishing to use a sound piece of equipment and hoping to keep cost at a minimum...!" CENTRAL TOOL HIRE Ltd



"We have not had any need for re-gassing, nor have we had any bent chassis on the equipment. Unfortunately this has been a frequent occurrence in the past when customers drag the equipment off their vehicles and drop them to the ground." CENTRAL TOOL HIRE Ltd

The Hydraulic System

HYCON hydraulic tools and powerpacks are the choice of professionals. For the expert, who values high performance and reliability, operator comfort and easy service. For the business man, who must ensure the company return on investment and at the same time stay in front in the battle for future market shares.

Furthermore, HYCON is ONE hydraulic system with only ONE power source: THE HYCON POWERPACK



hycon.dk



HYCON A/S
United Kingdom:

Anthony Doyle
Regional Sales Manager
Mobile: 07766313534
E-mail: td@hycon.dk



HYCON A/S
Juelstrupparken 11
DK-9530 Støvring
Tel +45 9647 5200
Fax +45 9647 5201
www.hycon.dk